

# Depression and Low Mood

A self help guide

Shining a light on the future





## **These are the thoughts of two people who are depressed:**

"I feel so alone, I never see my friends now, I guess they have dropped me. They probably don't like me – who would? There is no point in making any effort. It doesn't pay off... I just hate myself."

"I feel like crying all the time, I am so tired and can't get interested in anything. In fact I don't even get started with jobs I should be doing, I can't even do basic things that seem so easy to other people..."

You may have had similar thoughts yourself. Depression is a very common problem and many people feel low or down in the dumps at times. This is often due to life stresses such as bereavement, money or housing problems or difficulties in relationships. For some people the problem becomes much worse and gets in the way of normal life.

## **How can this guide help me?**

It may seem that nothing can be done to help you feel better. But there are things that you can do to make a difference. There is also further help you can get if the depression does not seem to be getting any better.

This guide aims to help you cope with depression and begin to get better. The approach is called Cognitive Behaviour Therapy (CBT). CBT uses methods that have been tried and tested and found to be effective. It involves looking at the way you think about things.

We have included pen and paper exercises in the booklet to help you begin to understand and begin to deal with depression practically. You should find it helpful to complete these exercises.

For more general information on depression see our booklet '**Depression – an information booklet**'.

## **What does research tell us about depression?**

Life is sometimes difficult and we know that factors such as low income, divorce or relationship problems and loss of work can make people more likely to become depressed. New research has helped us to understand depression more clearly. We now realise that thoughts can also play an important role in depression. Changes in feelings may occur gradually, but the way a person thinks about themselves when they are depressed is very different from how they thought before. Perhaps you can think about some examples of depressed thinking in yourself or in someone you know who has depression.

### Here are a few examples:

- The successful business man who **believes** he is on the brink of bankruptcy.
- The caring mother who **thinks** she has lost interest in her children.
- The clever student who **thinks** he can't concentrate and is stupid.
- The hard working man who **thinks** that he is useless because he has lost his job.

People who are depressed typically have such thoughts and at the time they believe them to be true. When someone's thoughts change like this, they also begin to experience other changes.

### These are some of the signs or symptoms that you may experience if you are depressed:

#### Emotions or feelings - (tick if you feel like this)

- Feeling sad, guilty, upset, numb or despairing
- Losing interest and/or enjoyment in things
- Crying a lot or unable to cry when a truly sad event occurs
- Feeling alone even if you are in company
- Feeling angry and irritable about the slightest thing

#### Physical or Bodily Signs

- Tiredness
- Lack of energy
- Restlessness
- Sleep problems
- Feeling worse at a particular time of day - usually mornings
- Changes in weight, appetite and eating

#### Thoughts

- Losing confidence in yourself
- Expecting the worst and having negative or gloomy thoughts
- Thinking that everything seems hopeless
- Thinking you hate yourself
- Poor memory or concentration
- Thoughts of suicide

## Behaviour

- Having difficulty in making decisions
- Can't be bothered to do everyday tasks
- Putting things off
- Not doing things you used to enjoy
- Cutting yourself off from other people

If you have ticked many of these boxes then you may be experiencing low mood or depression.

When you're depressed you may believe that you're helpless and alone in the world; you often blame yourself for all the shortcomings that you think you have. At the bottom of all this you feel negative about yourself, about the world and about the future. So you tend to lose interest in what's going on around you and you don't get any satisfaction out of the things you used to enjoy. It can become hard to make decisions or to carry out little tasks that you once did with no problem at all.

## In Summary

Research now tells us that gloomy thoughts play an important role in depression. When someone is depressed there are usually changes in the way they feel – their emotions, how their body reacts, what they think and how they behave.

## How can I understand these feelings?

The way you think about things affects the way you feel, which affects the way you behave. It is difficult to change the way you feel, but you can change the way you think.


When you are feeling depressed you might have negative thoughts a lot of the time. With each negative thought the feelings of depression are likely to increase.

Sometimes negative thoughts can stop you from doing the things that you would normally do. As a result, you may get critical thoughts about being lazy, or irresponsible, which make you feel even worse. In other words, you get caught up in a vicious cycle.

**For example:**

Suppose you are walking down the street and you see a friend who appears to ignore you completely. You might wonder why your friend has turned against you and you feel a little sad. Later on, you mention the incident to your friend, who tells you that he was preoccupied at the time and he didn't even see you. Normally you would feel better and put what happened out of your mind. But if you're depressed, you probably believe your friend has rejected you. You may not even ask him about the incident, and then the mistake goes uncorrected. If you're feeling depressed you're more likely to make mistakes like this over and over again.

The vicious cycle can look like this:



Has a similar cycle happened to you? Try and draw it out.

## Can I recognise these gloomy thoughts?

When you are feeling low the gloomy thoughts may be so familiar and happen so often to you that you just accept them as fact.

**Gloomy thoughts** are often about yourself; for example:



**Do you have any gloomy thoughts about yourself? – jot them down:**

.....

.....

.....

.....

.....



.....

.....

.....

These thoughts are sometimes about other things such as the world around you or the future.

For example:



**Do you have any gloomy thoughts about other things? - jot them down:**

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

## **What more should I know about these gloomy negative thoughts?**

We have given examples of the negative thoughts people have when they are depressed. It is important to remember that you might still occasionally have some of these sorts of thoughts when you are not depressed. The difference is that you would generally dismiss them from your mind. When you are depressed, however, these thoughts are around all the time. Let's look at these negative thoughts in more detail:

- 1.** Negative thoughts tend to be automatic. They are not actually arrived at on the basis of reason and logic, they just seem to pop up out of the blue.
- 2.** Often the thoughts are unreasonable, and unrealistic. They serve no purpose. All they do is make you feel bad and they get in the way of what you really want out of life. If you think about them carefully, you will probably find that you have jumped to a conclusion which is not necessarily correct. For example, thinking someone doesn't like you because they haven't phoned recently.
- 3.** Even though these thoughts are unreasonable they probably seem believable and correct to you at the time.
- 4.** The more you believe and accept negative thoughts, the worse you are likely to feel. If you allow yourself to get into the grip of these thoughts, you find you are viewing everything in a negative way.

When people become depressed their thinking often changes. They may have some of the following unhelpful thinking styles when they are feeling depressed:

## 1. Exaggerating the negative

This means we think things are much worse than they really are. For example you make a small mistake at work and fear that you may be dismissed because of it. In other words you jump to a gloomy conclusion and believe that it is likely to happen, or you may spend a long time worrying that you have upset a friend only to find later she didn't even remember the comment.

**Do you ever exaggerate the negative?** Think back over the last two weeks and list:

.....

.....

.....

.....

.....

.....

.....

.....

## 2. Overgeneralising

This is when we generalise from one small thing. For example, if one person doesn't get on with you, you may think "no one likes me" or if one of your many daily tasks hasn't been finished you think "I've achieved nothing – nothing has been done".

In other words from one thing that has happened to you, you draw a negative conclusion which is much bigger and covers all sorts of things.

**Do you ever overgeneralise?** Think back over the last two weeks and list examples:

.....

.....

.....

.....

.....

.....

.....

.....

### 3. Ignoring the positive

People who are depressed tend to focus their thinking on negative or bad events and ignore positive or good events. For example, you might have had a game of pool and missed the shot once, but played well in general. After the game you just think about that one missed shot and not the rest of the game played well, or you may have many good friends who you have known for years but you concentrate and worry about one that has fallen out with you rather than remembering all the other good friendships.

**Do you sometimes ignore the positive?** Jot down some examples from the last two weeks:

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

### 4. Taking things personally

Often if our mood is low we blame ourselves for anything which goes wrong, even if things have nothing to do with us in reality. For example, you go into a local shop and the assistant who knows you is 'off-hand', your automatic thought is "she doesn't like me... have I done something wrong?", but the most likely reason is that she's tired or upset or has had a 'bad day'. In this example you have taken the blame personally.

**Do you sometimes take things personally when they probably have little to do with you?** Give some examples from the last two weeks:

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

## In Summary


When people are depressed they often have unhelpful thinking styles, leading to gloomy or unhelpful thoughts about themselves, the world and the future. They exaggerate the negative, overgeneralise bad events, ignore positives in their lives and can take things personally. It is important to uncover gloomy thoughts and unhelpful thinking styles.

## How can I help myself?

So far we have talked about how what we think affects the way we feel. We have looked at particular ways of thinking which can lead to us getting depressed. In this section we will look at practical steps to help to overcome depressive feelings and thoughts. Research evidence tells us that increased activity is very helpful in overcoming depression.

### Positive steps

- List things to do
- Mix with people
- Join in activities
- Take exercise
- Do things you enjoy



# 1. Making a daily plan

When people are depressed they often don't feel like doing anything, find it hard to decide what to do each day and can end up doing very little.

Begin to tackle this by making a list of things you want to do. Then plan out an action list, start off with the easiest task at first and don't aim too high. Work through your action list and tick off what you've done. At the end of the day you'll be able to look back and see what you've achieved. Physical exercise and activity can really help to lift your mood. Try and build a little in each day. Mixing with friends, family and neighbours can also help.

**List some exercise or activities which you could do.** This can be as simple as a brisk walk; or doing a crossword with a member of your family:

.....

.....

.....

.....

.....

.....

.....

Try to fill in this action plan – continue with similar plans

	Mon	Tues	Wed	Thurs	Fri	Sat	Sun
9am - 11am							
11am - 1pm							
1pm - 3pm							
3pm - 5pm							
5pm - 7pm							

## 2. Achievements and pleasure

When people are depressed they often forget what they've achieved and what they enjoy. Most people have more things going for them than they are usually aware of. On your daily action plan write down all events of the day, put a P next to those which have given you pleasure and an A next to those activities where you felt you achieved something and did well. Try not to be too modest; people who are depressed tend not to take credit for their achievements. Try and build some pleasant events into your day each day - treat yourself, it will help you.

## 3. The ABC of changing feelings

Most people who are depressed think their lives are so awful that they have every right to feel sad. In fact our feelings come from what we think about and how we make sense of what has happened to us.

Try to think about a recent event which had upset and depressed you. You should be able to sort out three parts of it:

- A. The event.
- B. Your thoughts about it.
- C. Your feelings about it.

Most people are normally only aware of A and C. Let's look at an example:

Suppose someone at work criticises you for a piece of work you have done.

- A. The event – criticism of your work.
- B. Your thoughts – what are you thinking about? You may need to concentrate to discover this.



"He thinks I'm no good,  
and he's right, I'm hopeless".


- C. Your feelings – hurt, embarrassed.

How depressing! No wonder you feel bad! The important point about trying to become aware of these three stages A, B and C is that we can change what we think about an event and therefore we can change how we feel about it.

## 4. Balancing

A useful technique to try is called balancing. When you have a negative, critical thought, balance it out by making a more accurate and positive statement to yourself. For example:

The thought: “I’m no good at my job”, could be balanced with: “my boss said how much he appreciated the piece of work I did yesterday”.



## 5. The double column technique

Another thing you could do is write down your negative automatic thoughts in one column – and, opposite each one, write down a more balanced positive thought. Like this:

<b>Negative automatic thought:</b>	<b>Balancing thoughts:</b>
John hasn't called, he doesn't like me.	He is very busy and thinks I am doing better than I was last week, so he doesn't need to worry about me.

Later, it may be helpful to keep a diary of events, feelings and thoughts.

Try to keep a diary of events, feelings and thoughts. It may look a bit like the table below. Use the approaches described to gain more balanced thoughts. Look out for unhelpful thinking styles.

<b>Event</b>	<b>Feeling or emotion</b>	<b>Thoughts in your mind</b>	<b>Other more balanced thoughts</b>
Example			
A neighbour ignored me	Low and depressed	She doesn't like me, no one does.	She's probably got something on her mind – I am jumping to a conclusion that she doesn't like me.
Your example			

## **6. Try and remember details**

Research tells us that the person who is depressed doesn't remember details of events but tends to think in general statements, such as "I've never been any good at anything". Try and train yourself to remember specific details so that good times and experiences are easy to recall. A daily diary can help you to do this. Make lists of actual achievements and good aspects of yourself such as "I'm always on time", "I helped my friend on Tuesday" or "My partner complimented me on my work last week". Listing past achievements and pleasurable activities in detail can also be helpful.

### **In Summary**

Using a daily plan, mastery and achievement notes and keeping a diary of automatic thoughts and more balanced thoughts can help you to fight depression and the gloomy thoughts that go with it.

## **7. Solving difficult problems**

Sometimes we feel overwhelmed by the very complicated and difficult things we have to do. One thing which helps with this sort of problem is to write down each of the steps which you have to take in order to complete the job – then tackle one step at a time.

Problem solving can seem more difficult when you feel depressed. If you have a particularly difficult problem, try and look back to times when you may have successfully solved similar problems and use the same approach. Or ask a friend what they would do in a similar situation. Be clear. Write down all your possible options. Use 'brainstorming' – where even apparently silly solutions are written down to be considered. Choose the best approach.

**Try this way of problem solving yourself.**

**What is the problem?** (write it down – be as specific as possible):

.....  
.....  
.....  
.....  
.....  
.....  
.....

**Try the following:**

List all sorts of solutions (brainstorming). Remember how you may have solved similar problems in the past. What would your friends advise? Or how would you advise a friend with a similar problem.

.....  
.....  
.....  
.....  
.....  
.....  
.....

**Choose the best of the above.** (write it down)

.....  
.....  
.....  
.....  
.....  
.....  
.....

**Steps to tackle it:**

Step 1: .....

Step 2: .....

Step 3: .....

Step 4: .....

Step 5: .....

**8. Long term beliefs**

Sometimes people have long held views about themselves that are very self critical – for example, “I’m not a very clever person” or “I’m not a very lovable person”. These beliefs are often a product of our past experience and may hold no truth in present reality. Try to challenge this self criticism, stop knocking yourself down and look for evidence that disproves the beliefs. What would you say to a good friend if they held that belief about themselves?

**9. Particularly stressful times**

Many people experience a difficult time in their lives which can be linked with events that they cannot change, for example bereavement, or several bereavements over a short period, unemployment, longstanding illness, chronic financial problems or isolation. Sometimes several of these events happen together and depression can result. In time, most people bounce back, but it may be hard to do this without help.

**10. Further help**

We hope you will use the exercises suggested in this booklet. They should help you to begin to overcome your depression and get back in control of your thoughts and your life.

If you feel that you are making little progress then other help is available to aid you in overcoming your problem.

Your family doctor is the best person to talk to first. They may suggest a talking treatment or antidepressant tablets or both. They may suggest you see a mental health worker who can offer expert help with your problems. If you feel so depressed that thoughts of harming yourself have been in your mind then visit your doctor as soon as possible and talk about how you are feeling.

## **Where can I find extra help?**

If you think you may be depressed, your GP is the best person to talk to in the first instance. They will have information about local services which may be able to help. Help may also be obtained from your practice nurse or health visitor based at your GP practice.

## **The following organisations and help lines may also be useful:**

- **Association for Post Natal Illness**  
Tel: 0207 386 0868  
[www.apni.org](http://www.apni.org)  
145 Dawes Road, London, SW6 7EB  
For women who are experiencing depression following the birth of their baby.
- **British Association for Counselling and Psychotherapy**  
Tel: 01455 883 316  
[www.bacp.co.uk](http://www.bacp.co.uk)  
BACP House, 15 St John's Business Park, Lutterworth, Leicestershire, LE17 4HB  
Offers an information service providing contacts for counselling in England and Wales.
- **British Association for Behavioural and Cognitive Psychotherapies**  
Tel: 0161 705 4304  
[www.babcp.com](http://www.babcp.com)  
Imperial House, Hornby Street, Bury, BL9 5BN  
The Lead Organisation for CBT in the UK.
- **CRUSE Bereavement Line**  
Tel: 0844 477 9400  
[www.crusebereavementcare.org.uk](http://www.crusebereavementcare.org.uk)  
PO Box 800, Richmond, Surrey, TW9 2RG  
Helpline for bereaved people and those caring for bereaved people.

- **Depression Alliance**  
 Tel: 0845 123 23 20  
[www.depressionalliance.org/](http://www.depressionalliance.org/)  
 20 Great Dover Street, London, SE1 4LX  
 Information, support and understanding for people who suffer with depression, and for relatives who want to help. Self-help groups, information, and raising awareness for depression.
- **Depression UK**  
[www.depressionuk.org/](http://www.depressionuk.org/)  
 c/o Self Help Nottingham, Ormiston House,  
 32-36 Pelham Street, Nottingham, NG1 2EG  
 A national mutual support group for people suffering from depression although does not provide a helpline.
- **MDF: The Bipolar Organisation**  
 Tel: 08456 340 540  
[www.mdf.org.uk](http://www.mdf.org.uk)  
 Castle Works, 21 St. George's Road, London, SE1 6ES  
 Works to enable people affected by bipolar disorder to take control of their lives.
- **Mental Health Matters**  
 Tel: 0191 516 3500  
[www.mentalhealthmatters.com](http://www.mentalhealthmatters.com)  
 Avalon House, St Catherines Court, Sunderland Enterprise Park,  
 Sunderland, SR5 3XJ  
 A national organisation which provides support and information on employment, housing, community support and psychological services.
- **Mind Infoline**  
 Tel: 0300 123 3393  
[www.mind.org.uk](http://www.mind.org.uk)  
 15-19 Broadway, Stratford, London, E15 4BQ  
 Provides information on a range of topics including types of mental distress, where to get help, drug and alternative treatments and advocacy. Also provides details of help and support for people in their own area. Helpline available Mon - Fri, 9am - 5pm.
- **NHS Choices – Your health, your choices**  
[www.nhs.uk](http://www.nhs.uk)  
 Information about conditions, treatments, local services and healthy lives.

- **NHS Direct**  
Tel: 0845 46 47  
[www.nhsdirect.nhs.uk](http://www.nhsdirect.nhs.uk)  
Health information and advice.
- **PALS – Patient Advice and Liaison Service**  
[www.pals.nhs.uk](http://www.pals.nhs.uk)  
Provides information and advice about local NHS services and support organisations and helps sort out any problems with NHS services.
- **Rethink**  
Helpline: 0300 500 0927  
[www.rethink.org](http://www.rethink.org)  
89 Albert Embankment, London, SE1 7TP  
Provides information and a helpline for anyone affected by mental health problems.
- **Relate**  
Tel: 0300 100 1234  
[www.relate.org.uk](http://www.relate.org.uk)  
Premier House, Carolina Court, Lakeside, Doncaster, DN4 5RA  
Help with marital or relationship problems.
- **Samaritans**  
Tel: 0845 790 9090  
[www.samaritans.org.uk](http://www.samaritans.org.uk)  
PO Box 9090, Stirling, FK8 2SA  
Confidential support for anyone in a crisis.
- **SANELine**  
Tel: 0845 767 8000  
[www.sane.org.uk](http://www.sane.org.uk)  
1st Floor Cityside House, 40 Adler Street, London, E1 1EE  
Offers practical information, crisis care and emotional support. Helpline available 6pm - 11pm (local rate).
- **Young Minds**  
Tel: 020 7336 8445  
48-50 St John Street, London, EC1M 4DG  
[www.youngminds.org.uk/](http://www.youngminds.org.uk/)  
A national organisation committed to improving the mental health of all children and young people under 25.

## Some useful books which you may like to buy or borrow from your local library:

- **Feeling good: the new mood therapy**  
David Burns  
HarperCollins 2000  
A drug-free guide to curing anxiety, guilt, pessimism, procrastination, low self-esteem, and other depressive disorders uses scientifically tested methods to improve mood and stave off the blues.
- **Overcoming depression**  
Paul Gilbert  
Constable and Robinson 2000  
A self-help guide using Cognitive Behavioural Techniques, this book is full of step-by-step suggestions, case examples and practical ideas for gaining control over depression and low mood.
- **Dealing with depression**  
Kathy Nairne and Gerrilyn Smith  
The Women's Press 2001  
This is a practical guide for sufferers of depression and those who know someone who is depressed. It identifies the causes of depression and the many forms it may take, explores ways of coping and recovering, and evaluates the help available.
- **Depression: the way out of your prison**  
Dorothy Rowe  
Taylor and Francis 2003  
Gives us a way of understanding our depression which matches our experience and which enables us to take charge of our life and change it.
- **Mind over mood**  
Christine Padesky and Dennis Greenberger.  
Guilford 1995  
Draws on the authors' extensive experience as clinicians and teachers of cognitive therapy to help clients successfully understand and improve their moods, alter their behaviour, and enhance their relationships.
- **Overcoming depression and low mood: a five areas approach**  
Christopher Williams  
Hodder Education 2006  
Overcoming Depression and Low Mood is a series of short self-help workbooks for use by people experiencing low mood and depression. Developed in liaison with a wide range of experts, the course provides access to the proven Cognitive Behaviour Therapy (CBT) approach. Providing accessible information and teaching key life skills the workbooks provide a practical and effective way of improving how you feel.

- **Anxiety and depression: a practical guide to recovery**

Robert Priest

Ebury Press 1996

Robert Priest has written this book especially to provide help for those feeling anxious and depressed. In particular, he covers the practical self-help methods to reduce stress and offers an explanation of the causes and effects of anxiety and depression.

# Support your NHS

## Join our NHS Foundation Trust

Northumberland, Tyne and Wear NHS Foundation Trust provides a range of mental health, learning disability and specialist services for a large part of the North East of England and beyond. You may not think these services have very much to do with you, but mental health problems affect 1 in 4 people and there are a growing number of people with both learning and other disabilities.

As a member of our Foundation Trust you can be as active as you like, from just receiving regular information about the trust to getting involved in issues that you care about. It's free to join. Please complete and return the Membership Application Form.

Shining a light on the future



# Membership Application Form

## Your information

Mr  Mrs  Miss  Other \_\_\_\_\_  
(please specify)

First Name: \_\_\_\_\_ Surname: \_\_\_\_\_

Address: \_\_\_\_\_

Postcode: \_\_\_\_\_

Email: \_\_\_\_\_

How would you like us to contact you?

Post  Email

## About You

We are required to collect the following information about our members.

Date of Birth: \_\_\_\_\_

Male  Female

Are you: White   
Mixed   
Asian or Asian British   
Black or Black British   
Other (please specify) \_\_\_\_\_

Please return your completed form to Membership Office,  
Freeport NTW



# Mental Health Self Help Guides

## [www.ntw.nhs.uk/pic](http://www.ntw.nhs.uk/pic)

- Abuse
- Alcohol and You
- Anxiety
- Bereavement
- Controlling Anger
- Depression
- Depression and Low Mood
- Eating Disorders
- Domestic Violence
- Food for Thought
- Health Anxiety
- Hearing Voices
- Obsessions and Compulsions
- Panic
- Postnatal Depression
- Post Traumatic Stress
- Self Harm
- Shyness and Social Anxiety
- Sleep Problems
- Stress
- **Plus 3** guides for prisoners



Shining a light on the future



Written by Lorna Cameron and Dr Lesley Maunder, Consultant Clinical Psychologists, Northumberland, Tyne and Wear NHS Foundation Trust and has been developed from an earlier manual by Sheila Sharkey and Kevin Gibson.

**This information can be made available in a range of formats on request (eg Braille, audio, large print, BSL, easy read or other languages). Please contact the Patient Information Centre Tel: 0191 223 2545**

Published by the Patient Information Centre

2010 Copyright, Northumberland, Tyne and Wear NHS Foundation Trust

Ref, PIC/90/0610 June 2010

[www.ntw.nhs.uk/pic](http://www.ntw.nhs.uk/pic) Tel: 0191 223 2545

Review date 2012

